

SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

Product identifier		
Product name	Sulfuric Acid .12N	
Product number	R-0009; R-0009-PL	
Recommended use and restrictions	To be used in accordance with manufac manufacturer.	turer instructions or under the direct guidance of the
Manufacturer	Taylor Technologies, Inc. 31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340 Emergency phone: (800) 837-8548	
CTION 2: Hazard(s) identifi	cation	
Physical hazards	Corrosive to metals	Category 1
Health hazards	Eye damage/irritation	Category 1
	Skin corrosion/irritation	Category 1C
Environmental hazards	Not currently regulated by OSHA. For a	dditional information, refer to section 12 of the SDS
Signal word	Danger	
Hazard statements	May be corrosive to metals. Causes sev	vere skin burns and eve damage
Precautionary statements		
Prevention		preathe mists or vapors. Wash skin thoroughly after tive clothing/eye protection/face protection if contact
Response	vomiting. IF ON SKIN (OR HAIR): Take with water. Wash contaminated clothing air and keep comfortable for breathing. I IN EYES: Rinse cautiously with water fo	age. IF SWALLOWED: Rinse mouth. Do NOT indu off immediately all contaminated clothing. Rinse sk before reuse. IF INHALED: Remove person to fres Immediately call a physician or poison control cente r several minutes. Remove contact lenses, if prese diately call a physician or poison control center.
Storage	Store in a corrosive-resistant container v capped. Store out of direct sunlight betw	with a corrosive-resistant inner liner. Keep tightly veen 36°F–85°F. Store locked up.
Disposal	Dispose of contents/container in accordar regulations.	ance with local/regional/national/international
	5	

Chemical name	Common name and synonyms	CAS number	% w/w
Water	Dihydrogen oxide	7732-18-5	99–100
Sulfuric acid	Oil of vitriol	7664-93-9	0.1–1

If inhaled

Remove individual to fresh air. Seek medical advice/attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical advice/attention if irritation develops. Chemical burns must be treated by a physician.

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

If swallowed

Call a physician or poison control center immediately. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep person under observation. Symptoms may be delayed.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SE	CTION 5: Firefighting meas	ures
	Extinguishing media Suitable extinguishing media	Use extinguishing media appropriate for surrounding fire.
	Unsuitable extinguishing media	Do not use a heavy water stream. Use of heavy stream of water may spread fire.
	Specific hazards arising from the s Fire hazard	substance or mixture Not flammable
	Explosion hazard	Not explosive
	Reactivity	May be corrosive to metals
	Hazardous combustion products	Sulfur oxides. Other irritating fumes and smoke.
	Advice for firefighters Precautionary measures	Exercise caution when fighting any chemical fire; hazardous fumes will be present.
	Firefighting equipment/instructions	Use water spray or fog for cooling exposed containers.
	Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
	Other information	Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water. Dilute acid with water and neutralize with dilute base. If not recoverable, dilute with water or flush to holding area and neutralize. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and storage

Personal precautions, protective equipment, and emergency procedures

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Store in corrosive-resistant container with a corrosive-resistant inner liner. Keep tightly capped. Store out of direct sunlight

Occupational exposure limits			
US ACGIH Threshold Limit Valu	es		
Components	Туре	Value	
Sulfuric acid (CAS 7664-93-9)	TWA	0.2 mg/m ³ (thoracic particulate)	
US NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
Sulfuric acid (CAS 7664-93-9)	TWA	1 mg/m ³	
US OSHA Table Z-1 Limits for A	ir Contaminants (29 CFR 1910.1000)		
Components	Туре	Value	
Sulfuric acid (CAS 7664-93-9)	TWA	1 mg/m ³	
Biological limit values			
No biological exposure limits note	for the ingredient(s)		
Exposure controls Appropriate engineering controls	Good general ventilation (typically 10 a should be matched to conditions. If ap ventilation, or other engineering contro exposure limits. If exposure limits have acceptable level. Eyewash facilities an this product.	plicable, use process enclosur ols to maintain airborne levels b e not been established, mainta	res, local exhaust below recommended in airborne levels to ar
Personal protective equipment	Wear appropriate chemical safety gog	• •	
Eye/face protection			
Eye/face protection Skin protection	Wear appropriate chemical-resistant g	loves and clothing if contact is	likely to occur.
Eye/face protection	Wear appropriate chemical-resistant g Wear appropriate protective clothing. In case of insufficient ventilation, wear	-	-

Information on basic physic	
Physical state	Liquid
Form	Liquid
Color	Clear, colorless
Odor	Odorless
Odor threshold	Not applicable
рН	1.3
Evaporation rate	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	212°F (100°C)
Flash point	No data available
Specific gravity	1.00
Auto-ignition temperature	Not applicable
Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable
Upper Flammability Limit	Not applicable
Lower Flammability Limit	Not applicable
Vapor pressure	17 mm Hg
Relative vapor density	0.6

Solubility	Soluble in all proportions	3
Partition coefficient (n-octanol/water)	No data available	
Viscosity	No data available	
Explosive properties	Not applicable	
Oxidizing properties	Not applicable	
Percent volatile	99.6%	
SECTION 10: Stability and rea	ctivity	
Reactivity	May be corrosive to meta	als
Chemical stability	Stable under recommend	ded handling and storage conditions (refer to section 7 of the SDS)
Possibility of hazardous reactions	No dangerous reaction k	nown under conditions of normal use
Conditions to avoid	Contact with incompatibl	e materials. Do not use in areas without adequate ventilation.
Incompatible materials	Metal compounds, nitron	nethane, oxidizing agents, strong bases, sugars
Hazardous decomposition products	No hazardous decompos	sition products under conditions of normal use
SECTION 11: Toxicological in	formation	
Information on toxicological effe		
Inhalation	May cause irritation to th	
Skin contact	Causes severe skin burr	-
Eye contact	Causes serious eye dam	-
Ingestion	Causes digestive tract be	
Most important symptoms/effects, acute and	Direct skin contact may o scarring.	cause corrosive skin burns, deep ulcerations, and possibly permanent
delayed		entrated solutions may be corrosive and may cause severe damage, nptoms may include stinging, tearing, redness, swelling, and blurred
	and wheezing. Inhalatior	ause respiratory irritation. Symptoms may include coughing, choking, n could result in pulmonary edema (fluid accumulation). Symptoms of t pain, shortness of breath) may be delayed.
		e lips, oral cavity, upper airway, esophagus, and possibly the digestive clude abdominal pain, vomiting, burns, perforations, bleeding.
Acute toxicity	This product is not class ingredient acute toxicity	ified as an acute toxicity hazard. See below for product and individual data.
Product	Species	Acute Toxicity Estimate (ATE)
0.12N Sulfuric acid (CAS Mixture)	
Acute		
Dermal		
LD ₅₀	Rat	No data available
Inhalation		
LC ₅₀	Rat	>20 mg/L
Oral		
LD ₅₀	Rat	>5000 mg/kg
Components	Species	Acute Toxicity Data
Sulfuric acid (CAS 7664-93-9)		
Acute		
Dermal	Det	
LD ₅₀	Rat	No data available
Inhalation	Pat	0.375 mg/l
LC ₅₀ Oral	Rat	0.375 mg/L
LD ₅₀	Rat	2140 mg/kg

Skin corrosion/irritation	Causes severe skin burns
Serious eye damage/eye irritation	Causes serious eye damage
Respiratory sensitization	No data available
Skin sensitization	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	
IARC Monographs. Overall Eval Not classifiable	uation of Carcinogenicity
OSHA Specifically Regulated So Not regulated	ubstances (29 CFR 1910.1001-1096)
US National Toxicology Program	n (NTP) Report on Carcinogens
Not regulated	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity	No data available
(single exposure)	
Specific target organ toxicity (repeated exposure)	No data available
Aspiration hazard	No data available
ECTION 12: Ecological inform	ation
Ecotoxicity	This product is not classified as environmentally hazardous.
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Other adverse effects	Large or frequent spills can have a harmful or damaging effect on the environment.
ECTION 13: Disposal conside	rations
residue, follow label warnings even a	ealed containers at a licensed waste disposal site. Since emptied containers may retain produc fter container is emptied. This material and its container must be disposed of in a safe manner. ordance with local/regional/national/international regulations.
ECTION 14: Transport informa	ation
DOT	
UN number	UN3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, N.O.S. (Sulphuric acid)
Transport hazard class(es)	
Class	8
Subsidiary risk	Not listed
Label(s)	8
Packing group	III
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Special provisions	IB3, T7, TP1, TP28
Packaging exceptions	154
Packaging, non-bulk	203
Packaging, bulk	241
ΙΑΤΑ	
UN number	UN3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, N.O.S. (Sulphuric acid)
Transport hazard class(es)	
	0

Subsidiary risk

8

Ш

Not listed

Class

Packing group

Environmental hazards	
Marine pollutant	No
Special provisions	Not listed
ERG code	8L
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed
Cargo aircraft only	Allowed
IMDG	
UN number	UN3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, N.O.S. (Sulphuric acid)
Transport hazard class(es)	
Class	8
Subsidiary risk	Not listed
Packing group	III
Environmental hazards	
Marine pollutant	Not listed
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to Annex	This substance/mixture is not intended to be transported in bulk.

II of MARPOL 73/78 and the IBC Code

DOT



IATA; IMDG

SECTION 15: Regulatory information

Chemical name	CAS number	Reportable Quantity
Sulfuric acid	7664-93-9	1000 lbs
OSHA Hazard Communication Stand	ard (29 CFR 1910.	1200)
Chemical name	CAS number	
Sulfuric acid	7664-93-9	
OSHA Specifically Regulated Substa	nces (29 CFR 1910	0.1001-1096)
Not regulated		
SARA 302 Extremely Hazardous Sub	stance (40 CFR 35	5 Appendices A / B)
Chamical name	CAS number	Dementality Occurrities
Chemical name	CAS number	Reportable Quantity
Sulfuric acid	7664-93-9	1000 lbs
	7664-93-9	· · · · ·
Sulfuric acid	7664-93-9	· · · · ·
Sulfuric acid	7664-93-9 cation	1000 lbs
Sulfuric acid SARA 304 Emergency Release Notifi Chemical name	7664-93-9 cation CAS number	1000 lbs Reportable Quantity
Sulfuric acid SARA 304 Emergency Release Notifi Chemical name Sulfuric acid	7664-93-9 cation CAS number	1000 lbs Reportable Quantity

TSCA Section 8(b) Chemica	I Inventory
All components are on the	U.S. EPA TSCA Inventory list.
TSCA Section 12(b) Export I	Notification (40 CFR 707, Subp
Not regulated	
Other federal regulations	
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants
Not regulated	
Clean Air Act (CAA) Section	112(r) Accidental Release Pre
Not regulated	()
Safe Drinking Water Act (SD	
Not regulated	WYA)
C C	
US state regulations	
•	ter and Toxic Enforcement Act
Not regulated	
Massachusetts Right-to-Kno	ow Act
Chemical name	CAS number
Sulfuric acid	7664-93-9
New Jersey Worker and Cor	
Chemical name	CAS number
Sulfuric acid	7664-93-9
Pennsylvania Worker and C	ommunity Right-to-Know Act
Chemical name	CAS number
Sulfuric acid	7664-93-9
Rhode Island Right-to-Know	
Chemical name	CAS number
Sulfuric acid	7664-93-9
CTION 16: Other informat	ion
NFPA Rating Health hazard	1
Fire hazard	0
Reactivity	1
	1

Specific Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

N/A

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date:

May 2015

Last revisions

November 2017