

SAFETY DATA SHEET

according to US Regulation 29 CFR 1910.1200 and the Canadian HPA

GLB TLC

Version 2.0

Revision Date 2020.03.12

Print Date 2020.04.21

SECTION 1. IDENTIFICATION

Product name : GLB TLC

Manufacturer or supplier's details

Company : Innovative Water Care, LLC
1400 Bluegrass Lakes Parkway
Alpharetta, GA
30004

Telephone : 1-800-511-6737 (Outside the USA: 1-423-780-2347)
E-mail address : sds@sigurawater.com
Emergency telephone number : 1-800-654-6911 (Outside the USA: 1-423-780-2970)

Recommended use of the chemical and restrictions on use

Recommended use : Water treatment chemical

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals : Category 1
Skin corrosion : Category 1A
Serious eye damage : Category 1
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

GLB TLC

Precautionary statements

: **Prevention:**

P234 Keep only in original container.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P312 Call a POISON CENTER/ doctor if you feel unwell.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Mixture

Hazardous components

| Chemical name / Synonyms | CAS-No. | Concentration (% w/w) |
|------------------------------|-----------|-----------------------|
| Sulphuric acid | 7664-93-9 | 10 - 15 |
| Orthophosphoric acid | 7664-38-2 | 5 - 10 |
| Hydrochloric acid (in water) | 7647-01-0 | 5 - 10 |
| Triton X-100 | 9002-93-1 | 1 - 4 |

GLB TLC

SECTION 4. FIRST AID MEASURES

| | | |
|---|---|---|
| If inhaled | : | IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance. |
| In case of skin contact | : | IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops. |
| In case of eye contact | : | IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately. |
| If swallowed | : | IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : | None known. |
| Notes to physician | : | Probable mucosal damage may contraindicate the use of gastric lavage. |

SECTION 5. FIREFIGHTING MEASURES

| | | |
|--------------------------------------|---|--|
| Suitable extinguishing media | : | Not Applicable. - Choose extinguishing media suitable for surrounding materials. |
| Specific hazards during firefighting | : | Material will not ignite or burn. Reacts with most metals to form flammable hydrogen gas. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. For disposal considerations see section 13. |
| Environmental precautions | : | If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, ver- |

GLB TLC

miculite) and place in container for disposal according to local / national regulations (see section 13).
Do not flush into surface water or sanitary sewer system.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.
- Conditions for safe storage : Store in a cool dry ventilated location, away from sources of ignition or other incompatible conditions and chemicals. Keep container(s) closed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------------------------|-----------|----------------------------------|--|-------------|
| Sulphuric acid | 7664-93-9 | (Thoracic fraction.) | | ACGIH |
| | | TWA (Thoracic fraction.) | 0.2 mg/m ³ | ACGIH |
| | | REL | 1 mg/m ³ | NIOSH/GUIDE |
| Orthophosphoric acid | 7664-38-2 | TWA | 1 mg/m ³ | ACGIH |
| | | STEL | 3 mg/m ³ | ACGIH |
| | | REL | 1 mg/m ³ | NIOSH/GUIDE |
| | | STEL | 3 mg/m ³ | NIOSH/GUIDE |
| Hydrochloric acid (in water) | 7647-01-0 | | 2 ppm | ACGIH |
| | | Ceil_Time | 5 ppm 7 mg/m ³ | NIOSH/GUIDE |

- Engineering measures** : Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

Personal protective equipment

- Respiratory protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible.

Hand protection

GLB TLC

| | |
|--------------------------|--|
| Remarks | : Wear impervious gloves, boots and apron to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body. |
| Eye protection | : Use chemical goggles and a faceshield. |
| Skin and body protection | : Neoprene butyl-rubber Natural Rubber |
| Protective measures | : An eye wash and safety shower should be provided in the immediate work area. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|------------------------------|---|
| Appearance | : liquid |
| Colour | : light yellow |
| Odour | : mild |
| Odour Threshold | : no data available |
| pH | : 0 - 2 |
| Melting point/freezing point | : no data available |
| Boiling point/boiling range | : no data available |
| Flash point | : no data available |
| Evaporation rate | : no data available |
| Flammability (solid, gas) | : Product is not known to be flammable, combustible, pyrophoric or explosive. |
| Flammability (liquids) | : no data available |
| Upper explosion limit | : no data available |
| Lower explosion limit | : no data available |
| Vapour pressure | : no data available |
| Relative vapour density | : no data available |
| Relative density | : 1.1 - 1.2 |
| Density | : no data available |

GLB TLC

| | | |
|--|---|-------------------|
| Water solubility | : | soluble |
| Partition coefficient: n-octanol/water | : | no data available |
| Auto-ignition temperature | : | no data available |
| Decomposition temperature | : | no data available |
| Viscosity, dynamic | : | no data available |
| Viscosity, kinematic | : | no data available |
| Oxidizing properties | : | no data available |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|----------------------------------|---|--|
| Conditions to avoid | : | Sparks, open flame, other ignition sources, and elevated temperatures. |
| Incompatible materials | : | Strong oxidizing agents Bases Amines Metals Alkalis |
| Hazardous decomposition products | : | Hydrogen chloride |

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, skin, eyes, ingestion
sure

Acute toxicity

Acute oral toxicity : LD50 (Rat): Believed to be approximately 4,800 mg/kg

Acute dermal toxicity : LD50 (Rabbit): Believed to be > 2,000 mg/kg

Skin corrosion/irritation

Assessment: Corrosive

Remarks: Expected to be corrosive

Serious eye damage/eye irritation

Result: Corrosive

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

Remarks: This material is not known or reported to be a skin or respiratory sensitizer.

GLB TLC

Carcinogenicity

Remarks: The International Agency for Research on Cancer (IARC) has determined that occupational exposure to strong inorganic acid mists containing sulfuric acid is carcinogenic to humans (group 1).

| | | |
|--------------|--|-----------|
| IARC | Group 1: Carcinogenic to humans Sulphuric acid | 7664-93-9 |
| OSHA | No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. | |
| NTP | Known to be human carcinogen Sulphuric acid | 7664-93-9 |
| ACGIH | Suspected human carcinogen Sulphuric acid | 7664-93-9 |

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

Components:

Sulphuric acid:

Partition coefficient: n-octanol/water : Remarks: Not applicable

Triton X-100:

Partition coefficient: n-octanol/water : log Pow: 2.7

Mobility in soil

no data available

Other adverse effects

Ozone-Depletion Potential : Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone-Depleting Substances (40 CFR 82, Subpt. A, App A & B)
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

GLB TLC

No data for product. Individual constituents are as follows:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D002.
As a hazardous liquid waste it must be disposed of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

UN number : 1760
Proper shipping name : Corrosive liquids, n.o.s.
(Sulphuric acid, hydrochloric acid)
Transport hazard class : 8
Packing group : II
Labels : 8
Emergency Response Guidebook : 154
Number
Environmental hazards : no

GLB TLC

TDG

UN number : 1760
Proper shipping name : CORROSIVE LIQUID, N.O.S.
(Sulphuric acid, hydrochloric acid)
Transport hazard class : 8
Packing group : II
Labels : 8
Environmental hazards : no

IATA

UN number : 1760
Proper shipping name : Corrosive liquid, n.o.s.
(Sulphuric acid, hydrochloric acid)
Transport hazard class : 8
Packing group : II
Labels : 8
Environmental hazards : no

IMDG

UN number : 1760
Proper shipping name : Corrosive liquid, n.o.s.
(Sulphuric acid, hydrochloric acid)
Transport hazard class : 8
Packing group : II
Labels : 8
EmS Number 1 : F-A
EmS Number 2 : S-B
Environmental hazards : Marine pollutant: no

ADR

UN number : 1760
Proper shipping name : CORROSIVE LIQUID, N.O.S.
(Sulphuric acid, hydrochloric acid)
Transport hazard class : 8
Packing group : II
Classification Code : C9
Hazard Identification Number : 80
Labels : 8
Environmental hazards : no

GLB TLC

RID

| | |
|---|---|
| UN number | : 1760 |
| Proper shipping name | : CORROSIVE LIQUID, N.O.S. (sulphuric acid, hydrochloric acid) |
| Transport hazard class | : 8 |
| Packing group | : II |
| Classification Code | : C9 |
| Hazard Identification Number | : 80 |
| Labels | : 8 |
| Environmental hazards | : no |
| | |
| Special precautions for user | : none |
| | |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | : Not applicable |

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|----------------|-----------|--------------------|-----------------------------|
| Sulphuric acid | 7664-93-9 | 1000 | 7168 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|----------------|-----------|--------------------|-----------------------------|
| Sulphuric acid | 7664-93-9 | 1000 | 7168 |

SARA 311/312 Hazards

See above: SECTION 2. Hazard Identification-GHS Classification

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

| Components | CAS-No. | Concentration |
|----------------|-----------|---------------|
| Sulphuric acid | 7664-93-9 | 10 - 15 % |

SARA 313

| Components | CAS-No. | Concentration |
|------------------------------|-----------|---------------|
| Sulphuric acid | 7664-93-9 | 10 - 15 % |
| Hydrochloric acid (in water) | 7647-01-0 | 5 - 10 % |



GLB TLC

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

| Components | CAS-No. | Concentration |
|------------------------------|-----------|---------------|
| Hydrochloric acid (in water) | 7647-01-0 | 5 - 10 % |

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

| Components | CAS-No. | Concentration |
|------------------------------|-----------|---------------|
| Sulphuric acid | 7664-93-9 | 10 - 15 % |
| Hydrochloric acid (in water) | 7647-01-0 | 5 - 10 % |

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

| Components | CAS-No. | Component RQ (lbs) |
|------------------------------|-----------|--------------------|
| Sulphuric acid | 7664-93-9 | 1000 |
| Orthophosphoric acid | 7664-38-2 | 5000 |
| Hydrochloric acid (in water) | 7647-01-0 | 5000 |

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

| Components | CAS-No. | Concentration |
|------------------------------|-----------|---------------|
| Sulphuric acid | 7664-93-9 | 10 - 15 % |
| Orthophosphoric acid | 7664-38-2 | 5 - 10 % |
| Hydrochloric acid (in water) | 7647-01-0 | 5 - 10 % |

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

| Components | CAS-No. |
|------------------------------|-----------|
| Sulphuric acid | 7664-93-9 |
| Orthophosphoric acid | 7664-38-2 |
| Hydrochloric acid (in water) | 7647-01-0 |

Pennsylvania Right To Know

GLB TLC

| Components | CAS-No. |
|------------------------------|-----------|
| Sulphuric acid | 7664-93-9 |
| Orthophosphoric acid | 7664-38-2 |
| Hydrochloric acid (in water) | 7647-01-0 |

New Jersey Right To Know

| Components | CAS-No. |
|------------------------------|-----------|
| Sulphuric acid | 7664-93-9 |
| Orthophosphoric acid | 7664-38-2 |
| Hydrochloric acid (in water) | 7647-01-0 |
| Triton X-100 | 9002-93-1 |

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Canadian lists

NPRI

| Components | CAS-No. |
|------------------------------|-----------|
| Sulphuric acid | 7664-93-9 |
| Hydrochloric acid (in water) | 7647-01-0 |
| Triton X-100 | 9002-93-1 |

The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : US. ACGIH Threshold Limit Values
 NIOSH/GUIDE : US. NIOSH: Pocket Guide to Chemical Hazards, as amended

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dan-

GLB TLC

gerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

1
7

Revision Date : 2020.03.12

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date format : yyyy/mm/dd

US / EN